



SUPPLEMENTARY INSTRUCTION SHEET

6. ELECTRONICS PAGE 28 STEP 4

For safer servo mounting, we suggest you use the longer 2.5x10mm screws (#905260) instead of the standard 2.5x8mm screws.



9. FINAL ASSEMBLY PAGE 38 STEP 2




If you have any questions, please do not hesitate to contact XRAY at **info@teamxray.com** or visit our website at **www.teamxray.com** for news and updates.


SUPPLEMENTARY INSTRUCTION SHEET

6. ELECTRONICS PAGE 28 STEP 4

For safer servo mounting, we suggest you use the longer 2.5x10mm screws (#905260) instead of the standard 2.5x8mm screws.



9. FINAL ASSEMBLY




If you have any questions, please do not hesitate to contact XRAY at **info@teamxray.com** or visit our website at **www.teamxray.com** for news and updates.

SUPPLEMENTARY INSTRUCTION SHEET


6. ELECTRONICS PAGE 28 STEP 4

For safer servo mounting, we suggest you use the longer 2.5x10mm screws (#905260) instead of the standard 2.5x8mm screws.



905258 2.5x10

9. FINAL ASSEMBLY PAGE 38 STEP 2




If you have any questions, please do not hesitate to contact XRAY at **info@teamxray.com** or visit our website at **www.teamxray.com** for news and updates.


SUPPLEMENTARY INSTRUCTION SHEET

6. ELECTRONICS PAGE 28 STEP 4

For safer servo mounting, we suggest you use the longer 2.5x10mm screws (#905260) instead of the standard 2.5x8mm screws.



9. FINAL ASSEMBLY PAGE 38 STEP 2




If you have any questions, please do not hesitate to contact XRAY at **info@teamxray.com** or visit our website at **www.teamxray.com** for news and updates.


SUPPLEMENTARY INSTRUCTION SHEET

6. ELECTRONICS PAGE 28 STEP 4

For safer servo mounting, we suggest you use the longer 2.5x10mm screws (#905260) instead of the standard 2.5x8mm screws.








If you have any questions, please do not hesitate to contact XRAY at **info@teamxray.com** or visit our website at **www.teamxray.com** for news and updates.


SUPPLEMENTARY INSTRUCTION SHEET

6. ELECTRONICS PAGE 28 STEP 4

For safer servo mounting, we suggest you use the longer 2.5x10mm screws (#905260) instead of the standard 2.5x8mm screws.



9. FINAL ASSEMBLY PAGE 38 STEP 2



If you have any questions, please do not hesitate to contact XRAY at **info@teamxray.com** or visit our website at **www.teamxray.com** for news and updates.