



ULTIMATE MATCHED RACING SPRINGS - BLACK



2.2



2.4



2.6



2.8



3.0



3.2



3.4


New for the shorter-length shocks of the XRAY T2 family of 1/10th scale electric touring sedans, XRAY presents the ultimate high-performance racing springs that have been specially developed for rubber-tire racing, giving better balance and an additional range of choices to fine-tune your car.

Developed through extensive testing and racing experience, these linear springs are shorter and have a larger internal diameter. The same thickness of wire is used for each spring, and stiffness is controlled by the number of coils. Softer springs have a lower „C“ value and more coils; stiffer springs have a higher „C“ value and fewer coils. The new springs are stylishly black-coated and the tops of each spring are laser engraved with the spring size for quick & easy identification.

Available as a pair of springs - to fit front and rear - the springs are individually measured, controlled, inspected and matched to provide identical damping characteristics. During the selection process, each spring is compressed in several fine increments and the values recorded, and then each spring is matched with another spring of identical characteristics. XRAY goes the extra mile to ensure perfect spring matches, giving your car the predictability and consistency that you need to help you lead the pack.

The new springs may also be used on earlier models of XRAY 1/10th scale electric touring sedans.

Marked here



#308373	XRAY SPRING-SET		Black	C = 2.2	2pcs
#308374	XRAY SPRING-SET		Black	C = 2.4	2pcs
#308375	XRAY SPRING-SET		Black	C = 2.6	2pcs
#308376	XRAY SPRING-SET		Black	C = 2.8	2pcs
#308377	XRAY SPRING-SET		Black	C = 3.0	2pcs
#308378	XRAY SPRING-SET		Black	C = 3.2	2pcs
#308379	XRAY SPRING-SET		Black	C = 3.4	2pcs

SOFT

HARD

The unique characteristics of these new springs makes it difficult to make direct comparisons with existing „color-coded“ XRAY springs. The table below approximates where the new black springs would possibly fall within the range of current springs (based on stiffness); however, the new springs will give the car slightly different handling characteristics.

SOFT

#308393	YELLOW	14 LB	4pcs
#308373	BLACK	C = 2.2	2pcs
#308382	GOLD	14 LB	4pcs
#308384	BLUE-GREEN	15 LB	4pcs
#308374	BLACK	C = 2.4	2pcs
#308375	BLACK	C = 2.6	2pcs
#308394	WHITE	17.5 LB	4pcs
#308383	SILVER	17.5 LB	4pcs
#308376	BLACK	C = 2.8	2pcs
#308377	BLACK	C = 3.0	2pcs
#308385	LIGHT-BLUE	20 LB	4pcs
#308378	BLACK	C = 3.2	2pcs
#308395	BLUE	22.5 LB	4pcs
#308379	BLACK	C = 3.4	2pcs
#308386	DARK-BLUE	25 LB	4pcs
#308396	VIOLET	28 LB	4pcs
#308387	LIGHT-PURPLE	30 LB	4pcs
#308397	PURPLE	33 LB	4pcs
#308388	LIGHT-RED	35 LB	4pcs
#308398	RED	38 LB	4pcs

HARD