

SET-UP SHEET

XRAY XT9

RACE			
TRACK			
NAME			
CITY / COUNTRY			
CONTACT			

DATE			
------	--	--	--

TEMPERATURE / °F or °C	AIR	TRACK
---------------------------	-----	-------

LAPS	FINAL POSITION	BEST LAPTIME/sec	RACE LENGTH/min.
------	----------------	------------------	------------------

TRACK SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
------------	-------------------------------	---------------------------------	--------------------------------

TRACK TRACTION	<input type="checkbox"/> HIGH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> LOW
----------------	-------------------------------	---------------------------------	------------------------------

TRACK SURFACE	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
---------------	---------------------------------	---------------------------------	--------------------------------

TRACK TYPE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> ASTRO TURF	<input type="checkbox"/> GRASS

TRACK CONDITION	<input type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET	<input type="checkbox"/> MUD
-----------------	------------------------------	--------------------------------	------------------------------	------------------------------

DIFFERENTIALS		
TYPE		
FRONT	CENTER	REAR
DIFFERENTIAL - OIL		

GEARING			
CLUTCH BELL		SPUR GEAR	
	T		T
PINION		CROWN GEAR	
	T		T
SPRING		SHOE	

FRONT	SHOCKS	REAR
LINEAR SPRINGS		
#358186 = 0.86	<input type="checkbox"/> BLUE	#358286 = 0.61
#358187 = 0.92	<input type="checkbox"/> VIOLET	#358287 = 0.65
#358188 = 0.98	<input type="checkbox"/> PINK	#358288 = 0.70
	OTHER	
	OIL / cST	
	REBOUND / %	
PISTONS		
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> 1.1mm	<input type="checkbox"/> 6 HOLES
<input type="checkbox"/> 8 HOLES	<input type="checkbox"/> 1.2mm	<input type="checkbox"/> 8 HOLES
<input type="checkbox"/> 10 HOLES	<input type="checkbox"/> 1.3mm	<input type="checkbox"/> 10 HOLES
	<input type="checkbox"/> 1.4mm	
	OTHERS	

FRONT	ANTI ROLL BAR	REAR
	THICKNESS / mm	

FRONT	TIRES	REAR
	TYPE	
	INSERTS	
	WHEELS	

ENGINE	
TYPE	
MANIFOLD	
MUFFLER	
PLUG	
FUEL	

BODY	
TYPE	

FRONT		REAR	
OFFSET +2 <input type="checkbox"/> +5 <input type="checkbox"/> OTHER <input type="checkbox"/>	STEERING BLOCK PLASTIC <input type="checkbox"/> ALU <input type="checkbox"/>	CASTER BUSHINGS +2° +1° 0° -1° -2° <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	OFFSET +2 <input type="checkbox"/> +5 <input type="checkbox"/> OTHER <input type="checkbox"/>

FRONT	REAR
UPPER PLATE-RADIO PLATE STIFFENER YES <input type="checkbox"/> NO <input type="checkbox"/>	FRONT BRACE PLASTIC <input type="checkbox"/> ALU <input type="checkbox"/>
	REAR BRACE SINGLE <input type="checkbox"/> PLASTIC <input type="checkbox"/> DOUBLE <input type="checkbox"/> ALU <input type="checkbox"/>

FRONT	REAR

FRONT	REAR
FRONT TOE OUT <input type="checkbox"/> IN <input type="checkbox"/>	REAR TOE IN <input type="checkbox"/> OUT <input type="checkbox"/>
ACKERMANN POSITION SHIM UNDER STEERING PLATE mm	WHEELBASE 0mm 1mm 2mm 3mm 4mm SHIMS IN FRONT OF UPRIGHT
SERVO SAVER TIGHT <input type="checkbox"/> MEDIUM <input type="checkbox"/> SOFT <input type="checkbox"/>	

FRONT	SHOCK PRELOAD	SHOCK PRELOAD	REAR
	mm	mm	
	RIDE HEIGHT	RIDE HEIGHT	
	/mm	/mm	

COMMENTS