

SET-UP SHEET

XRAY RX8

RACE			
TRACK			
NAME			
CITY / COUNTRY			
CONTACT			

DATE	TEMPERATURE / °F or °C	AIR	TRACK
------	------------------------	-----	-------

QUALIFYING POSITION	BEST LAPTIME / sec	FINAL POSITION	LAPS	RACE LENGTH /minutes
---------------------	--------------------	----------------	------	----------------------


TRACK CONDITION	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
	<input type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> HIGH

GEARING															
PINION	1ST	16	<input type="checkbox"/>	17	<input type="checkbox"/>	18	<input type="checkbox"/>	SPUR	1ST	48	<input type="checkbox"/>	49	<input type="checkbox"/>	50	<input type="checkbox"/>
	2ND	19	<input type="checkbox"/>	20	<input type="checkbox"/>	21	<input type="checkbox"/>		2ND	45	<input type="checkbox"/>	46	<input type="checkbox"/>	47	<input type="checkbox"/>
PULLEY	28	<input type="checkbox"/>	29	<input type="checkbox"/>	RATIO 1ST		RATIO 2ND								

FRONT	SHOCKS	REAR
	SPRING	
	OIL / cSt	
	REBOUND %	
	MEMBRANE	
<input type="checkbox"/> YES <input type="checkbox"/> NO	FOAM INSERTS	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> PLASTIC <input type="checkbox"/> ALU	SHOCK BODY	<input type="checkbox"/> PLASTIC <input type="checkbox"/> ALU
<input type="checkbox"/> YES <input type="checkbox"/> NO	ADJUSTABLE PISTONS	<input type="checkbox"/> YES <input type="checkbox"/> NO
	HOLE IN PISTON /mm	

OPENED CLOSED


HOLES IN PISTON


FRONT	ANTI-ROLL BAR	REAR
<input type="radio"/> 0° <input type="radio"/> 30° <input type="radio"/> 45° <input type="radio"/> 60° <input type="radio"/> 90°	<input type="radio"/> 0° <input type="radio"/> 30° <input type="radio"/> 45° <input type="radio"/> 60° <input type="radio"/> 90°	<input type="radio"/> 0° <input type="radio"/> 30° <input type="radio"/> 45° <input type="radio"/> 60° <input type="radio"/> 90°
NO <input type="checkbox"/>	 WIRE /mm	
0.7 <input type="checkbox"/>		






FRONT	TIRES	REAR	
LEFT	RIGHT	LEFT	RIGHT
MANUFACTURER			
SHORE / deg°			
DIAMETER / mm			
5 MIN. WEAR /mm			
RUBBER TIRES			

ENGINE			
TYPE			
CARB. DIA /mm	HEAD SHIM /mm	PLUG	
MUFFLER	FUEL		

CLUTCH / BRAKE			
FLYWHEEL	<input type="checkbox"/> STANDARD	OTHER	
CLUTCH FLYWEIGHTS	<input type="checkbox"/> STANDARD	OTHER	
CLUTCH SHOE		CLUTCH SPRING	<input type="checkbox"/> STAND.
CLUTCH SHIMS	0.6mm <input type="checkbox"/>	0.4mm <input type="checkbox"/>	OTHER /mm <input type="checkbox"/>
CLEARANCE /mm	ADJ. NUT /mm		
BRAKE PAD	<input type="checkbox"/> STANDARD	OTHER	
BRAKE SETTING %			

BODY	
WING HEIGHT	
WING POSITION	

FRONT BALANCE	WEIGHT <input type="text"/> g	GRAPHITE <input type="checkbox"/>	NONE <input type="checkbox"/>
---------------	-------------------------------	-----------------------------------	-------------------------------



COMMENTS